

Podłącze zainstalowana wersja 5.8

Number of Licensed Products = 3

WIN-911 - iFix v5.9 Standard Runtime 150 Points English (40D3-AF17-7896-26FD)

License Expiration	: No Expiration
Licensed Version	: 1,0
Mobile-911 Connection Limit	: 2

Product Options

Is Reporting enabled	: Enabled
Can Request Reports	: Enabled
Can Request Alarms	: Enabled

iFIX - iFix v5.9 Standard Runtime 150 Points English (40D3-AF17-7896-26FD)

License Expiration	: No Expiration
Licensed Version	: 5,9
Number of Terminal Server Connections	: 0
Number of Unit Blocks	: Unlimited
Number of Process Database Blocks	: 150
Number of Drivers Allowed	: 8
Number of OPC Connections	: 10
Number of Web Server Connections	: 0

Product Options

SCADA with Baseline Database Blocks	: Enabled
Statistical Quality Control Database Blocks	: Enabled
Batch Database Blocks	: Enabled
Control Database Blocks	: Enabled
Classic Historian - Historical Trend Reporting	: Enabled
ODBC Access to the Process Database	: Enabled
Recipes	: Enabled
Fault Tolerant Computer Support	: Enabled
Windows Security Synchronizer	: Enabled

FIX Graphics	: Enabled
SCADA Driver Support	: Enabled
OPC Connections	: Enabled
Runtime Only	: Enabled
Workspace (GUI)	: Enabled
Dynamics Scheduler	: Enabled
FIX Desktop	: Enabled
Remote iFIX	: Enabled

Historian - Historian v7.0 Essential 100 Points Add On (EDEE-44D3-7523-2A0E)

License Expiration	: No Expiration
Number of Connections	: 2
Multiple Datastores Count	: 5
Rotational Buffer Tag Count	: 2500
Rotational Buffer Duration	: 201
Number of Points	: 100
Licensed Version	: 7.0

Options

Server To Server Distributor	: Enabled
Server to Server Collector	: Disabled
Calculation Collector	: Disabled
Electronic Signatures/Records	: Disabled
Allow Data Modification	: Enabled
Cluster Support	: Disabled
Collector Redundancy	: Disabled
PI Collector	: Disabled
OPC Alarms	: Disabled
Fault Tolerant Computer Support	: Enabled
OPC HDA Server	: Enabled
Expression Support	: Disabled
User Defined Tags (Multi-Field)	: Disabled
Collector Toolkit	: Disabled
Windows PerfMon Collector	: Disabled
Microsecond Support	: Disabled

Wola Batorska Zainstalowana wersja 4.0 (6192)

iFIX

License Expiration

No Expiration

Licensed Version

5

Number of Terminal Server Connections

0

Number of Unit Blocks

0

Process Database Size

150

Number of Drivers Allowed

8

Number of OPC Connections

10

Options

SCADA Node with Baseline Blocks

Enabled

SCADA SQC

Enabled

SCADA Batch

Enabled

SCADA Control

Enabled

Historical Trend Recording

Enabled

Object / Pixel Graphics

Enabled

SCADA I/O driver

Enabled

OPC Connections

Enabled

Runtime Only

Enabled

Workspace (GUI)

Enabled

Dynamics Scheduler

Enabled

Remote iFIX

Enabled
OS2 Support
Enabled

Historian

License Expiration
No Expiration
Licensed Version
3
Number of Connections
1
Number of Points
100
Options

Allow Data Modification
Enabled
Cluster Support
Enabled